EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	32	(snagit (snag near it))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 20:23
S357	0	digital near right near management same prevent4 with context	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:47
S358	0	digital near right near management same prevent4 same context	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:47
S359	10081	digital near right near management	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:47
S360	385	digital near right near management same context	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:47
S361	169	digital near right near management same context and ("707" "715" "709" "705").clas.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:48
S362	1	"20050165839"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:49
S363	812	digital near right near management same (prevent$4 restrict$4) same content and ("707" "715" "709" "705").clas.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:50
S364	184	digital near right near management same (prevent$4 restrict$4) same content same (associat$4 context) and ("707" "715" "709" "705").clas.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:50
S365	184	digital near right near management same (prevent$4 restrict$4) same content same (associat$4 context ocr) and ("707" "715" "709" "705").clas.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2011/03/25 17:51
S366	2	"20050055628"	US-PGPUB; USPAT	OR	OFF	2011/03/27 19:47

S367	357	(drm (digital near right near manag$6)) same (obtain$3 extract$3 recogn$6) same (context metadata meta$data (meta near data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 19:59
S368	123	(drm (digital near right near manag$6)) same (obtain$3 extract$3 recogn$6) same (context metadata meta$data (meta near data)) same (protect$4 prevent$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 19:59
S369	151	(drm (digital near right near manag$6)) same (obtain$3 extract$3 recogn$6) with (context metadata meta$data (meta near data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 20:01
S370	49	(drm (digital near right near manag$6)) same (obtain$3 extract$3 recogn$6) near2 (context metadata meta$data (meta near data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 20:01
S371	175	(drm (digital near right near manag$6)) with protect$4 with (metadata (meta near data) meta-data context)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 20:49
S372	70	(drm (digital near right near manag$6)) with protect$4 with (metadata (meta near data) meta-data context) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 20:51
S373	6	(drm (digital near right near manag$6)) same protect$4 near2 (metadata (meta near data) meta-data context) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 20:56
S374	60	(drm (digital near right near manag$6)) and protect$4 near2 (metadata (meta near data) meta-data context) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 20:57
S375	54	S374 not S372	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 20:57

S376	0	(drm (digital near right near manag$6)) same (extract$3 obtain$3 identif$4) near2 (metadata (meta near data) meta-data context) same prevent$4 and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:03
S377	4	(drm (digital near right near manag$6)) same (extract$3 obtain$3 identif$4) same (metadata (meta near data) meta-data context) same prevent$4 and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:03
S378	27	(drm (digital near right near manag$6)) same (metadata (meta near data) meta-data context) same prevent$4 and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:04
S379	46	(drm (digital near right near manag$6)) and prevent$4 with (metadata (meta near data) meta-data context) same prevent$4 and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:06
S380	46	(drm (digital near right near manag$6)) and prevent$4 with (metadata (meta near data) meta-data context) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:07
S381	2	(drm (digital near right near manag$6)) same (ocr ((text handwriting) near recogn$5)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:12
S382	151	(drm (digital near right near manag$6)) and (ocr ((text handwriting) near recogn$5)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:12
S383	63	(drm (digital near right near manag$6)) and (ocr ((text handwriting) near recogn$5)) and (@ad<"20040126" or @rlad<"20040126") and ("707" "715" "705").clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:13

S384	49	(drm (digital near right near manag$6)) and (@ad<"20040126" or @rlad<"20040126") and captur$3 near2 (content image box area text) and extract$4 with (metadata meta$data context property text uri url)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:20
S385	2	(drm (digital near right near manag$6)) with prevent$4 with certain and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:25
S386	17	(drm (digital near right near manag$6)) with prevent$4 with (some portion certain) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:25
S387	29	(drm (digital near right near manag$6)) with prevent$4 and "707".clas. and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:27
S388	0	(drm (digital near right near manag$6)) with prevent$4 with (metadata meta-data (meta near data)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:33
S389	37	(drm (digital near right near manag$6)) with protect$4 with (metadata meta-data (meta near data)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:33
S390	17	(drm (digital near right near manag$6)) and prevent$4 with (metadata meta-data (meta near data)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:37
S391	152	(drm (digital near right near manag$6)) and (disallow$3 block$3) with (metadata meta-data (meta near data)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:39

S392	4	(drm (digital near right near manag$6)) and (disallow$3 block$3) with extract$3 with (metadata meta-data (meta near data)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:39
S393	21	(drm (digital near right near manag$6)) and prevent$4 near2 extract$3 and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:40
S394	40	(drm (digital near right near manag$6)) same image same prevent$4 and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 21:46
S395	6	(drm (digital near right near manag$6)) same disabl$3 with extract$4 and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 22:15
S396	2	(drm (digital near right near manag$6)) same (ocr (text near recogni$4) (handwrit$4 near recogni$4)) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 22:19
S397	39	(drm (digital near right near manag$6)) and (ocr (text near recogni$4) (handwrit$4 near recogni$4)) same (metadata (meta near data) meta-data property context) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 22:20
S398	27	prevent$3 with (extract$4 obtain$4) near3 (context metadata (meta near data) meta-data) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 22:31
S399	259	(blocking disallow$3 disabl$3 prevent$3) with (stor$3 associat$4 extract$4) near3 (context metadata (meta near data) meta-data) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 22:54

S400	19	(blocking disallow$3 disabl$3 prevent$3) with (stor$3 associat$4 extract$4) near3 (context metadata (meta near data) meta-data) with (content image text$3) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 22:54
S401	1	"20050165839"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:00
S402	47	(drm (digital near right near manag$6)) same restrict$4 same (content image) same (context metadata meta-data) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:07
S403	4	(drm (digital near right near manag$6)) same (prevent$4 blocking disallow$3 disabl$3 restrict$4 limit$4) same history same (context metadata meta-data) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:18
S404	18	(drm (digital near right near manag$6)) same (prevent$4 blocking disallow$3 disabl$3 restrict$4 limit$4) same history same (content image) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:18
S405	68	(drm (digital near right near manag$6)) and (prevent$4 blocking disallow$3 disabl$3 restrict$4 limit$4) with history same (content image) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:20
S406	55	S405 not S404	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:21
S407	676	(drm (digital near right near manag$6)) and (metadata (meta near data) meta$data context property) near (access right permission) and (@ad< "20040126" or @rlad< "20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:23

S408	264	(drm (digital near right near manag$6)) same (metadata (meta near data) meta$data context property) near (access right permission) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:24
S409	236	(drm (digital near right near manag$6)) same (metadata (meta near data) meta$data context property) near (right) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:24
S410	37	(drm (digital near right near manag$6)) same (metadata (meta near data) meta$data) adj (right) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:24
S411	32	(drm (digital near right near manag$6)) same (metadata (meta near data) meta$data context property) near (access permission) and (@ad<"20040126" or @rlad<"20040126")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/27 23:26
S412	566	(captur$3 select$3 highlight$3 circl$3 encircl$3) with complete near (letter word character)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/28 00:47
S413	61	(captur$3 select$3 highlight$3 circl$3 encircl$3) with complete near (letter word character) and (underly$4 extract$3) with (text link url uri address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/28 00:49
S414	43	(captur$3 select$3 highlight$3 circl$3 encircl$3) with complete near (letter word character) and "707".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/28 01:01
S415	63	(captur$3 select$3 highlight$3 circl$3 encircl$3) with complete near (letter word character) and "715".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/03/28 01:04
S416	5	prevent$3 with history with associat$4 with content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 13:58
S417	194	(limit$3 prevent$4) with (version$4 history) with associat$4 with content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 16:34

S418	48	(limit$3 prevent$4) with (version$4 history) with associat$4 with (image music song video content item) and (digital near right near manage$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 16:36
S419	17	(limit$3 prevent$4) with (version$4 history) with (digital near right near manage$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 16:41
S420	46	history with (digital near right near manage$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 16:43
S421	1110	(determin$3 identif$4 extract $4) same (uri (uniform near resource) url) same window same (name value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:10
S422	159	(determin$3 identif$4 extract $4) with (uri (uniform near resource) url) with window with (name value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:10
S423	22	(determin$3 identif$4 extract $4) with (uri (uniform near resource) url) with window with (name value) with property	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:11
S424	30	(determin$3 identif$4 extract $4) same (uri (uniform near resource) url) same window with property with (name value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:12
S425	85	(determin$3 identif$4 extract $4) same (uri (uniform near resource) url) same window same context same (name value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:14
S426	44	(name value) near (property field) with window same (uri url)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:19
S427	491	(ocr extract$4 (text near recogni$5)) with (character word text handwriting letter) with (within inside bounded) with region	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:24
S428	5	(ocr extract$4 (text near recogni$5)) with (character word text handwriting letter) with (completely totally) near2 (within inside bounded) with region	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:27

S429	5	(ocr extract$4 (text near recogni$5)) with (character word text handwriting letter) with (completely totally entir $4) near2 (within inside bounded) with region	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:27
S430	9	(ocr extract$4 (text near recogni$5)) same (character word text handwriting letter) with (completely totally entir $4) near2 (within inside bounded) with region	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:28
S431	17	ignor$3 with (character word text handwriting letter) with (outside partial$4) with region	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:30
S432	18	ignor$3 with (character word text handwriting letter) with (outside partial$4) with (area box selection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:31
S433	23	ignor$3 with (character word text handwriting letter) with (outside partial$4) with (area box selection window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:31
S434	673	(ocr extract$4 (text near recogni$5)) same (character word text handwriting letter) same context same (region box area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:33
S435	63	(ocr extract$4 (text near recogni$5)) same (character word text handwriting letter) same context same (within inside) with (region box area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:34
S436	72	(ocr extract$4 (text near recogni$5)) same (character word text handwriting letter) same context same (within inside included) with (region box area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:34
S437	5	(ocr extract$4 (text near recogni$5)) same (character word text handwriting letter) same context same (completely totally entirety entirely) with (region box area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2011/04/06 18:36

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L1	0	(707/821,802,999.107.ccls or 715/781,255,205.ccls. or 345/173,179.ccls. or 382/229,182,282,176,177.ccls.) and (mode operation path drawn display boundar$3 text$3 character region pixel image file annotation toolbar context digital right management prevent$4 proximity).clm.	USPAT; UPAD	AND	ON	2011/04/06 20:19
L2	0	(707/821,802,999.107.ccls or 715/781,255,205.ccls. or 345/173,179.ccls. or 382/229,182,282,176,177.ccls.) and (path drawn display boundar$3 text $3 character region pixel window image file extract$4 context punctuation sentence uniform resource).clm.	USPAT; UPAD	AND	ON	2011/04/06 20:20
L3	0	(707/821,802,999.107.ccls or 715/781,255,205.ccls. or 345/173,179.ccls. or 382/229,182,282,176,177.ccls.) and (display text$3 character region mode operation captur$3 boundar$3 point$3 image file extract$4 context bound$2 property).clm.	USPAT; UPAD	AND	ON	2011/04/06 20:22
L4	0	(707/821,802,999.107.ccls or 715/781,255,205.ccls. or 345/173,179.ccls. or 382/229,182,282,176,177.ccls.) and (mode operation path drawn display boundar$3 text$3 character region pixel image file annotation toolbar context digital right management prevent$4 proximity)	USPAT; UPAD	SAME	ON	2011/04/06 20:22
L5	0	(707/821,802,999.107.ccls or 715/781,255,205.ccls. or 345/173,179.ccls. or 382/229,182,282,176,177.ccls.) and (path drawn display boundar$3 text $3 character region pixel window image file extract$4 context punctuation sentence uniform resource)	USPAT; UPAD	SAME	ON	2011/04/06 20:23
L6	0	(707/821,802,999.107.ccls or 715/781,255,205.ccls. or 345/173,179.ccls. or 382/229,182,282,176,177.ccls.) and (display text$3 character region mode operation captur$3 boundar$3 point$3 image file extract$4 context bound$2 property)	USPAT; UPAD	SAME	ON	2011/04/06 20:23

4/6/2011 8:58:35 PM
C:\ Documents and Settings\ alewis5\ My Documents\ EAST\ Workspaces\ 10766319.wsp